



## FI SERIES

# SERVER CABINET RANGE

Available in 27U, 42U, 45U

- 600mm or 800mm wide
- 900mm or 1000mm deep

**Fi server cabinet range** Designed by our in-house team of engineers, the Fi server cabinet range provides ease of commissioning, cable-routing and maintenance. The unique box-section folding technique on the front and rear doors ensure extra strength and rigidity. Furthermore, an attractive and modern looking exterior ensures it will fit well in any office environment.




### FI SERVER CABINET CONSIST OF

- 1 x Bolted aluminum frame construction
- 1 x Enclosed glass front door with punched surround & slam-latch lock
- 1 x Lockable rear door with punched surround and centre
- 2 x Lockable side panels
- 4 x 19" Universal adjustable (heavy duty) mounting profiles
- 2 x 19" mid style (heavy duty) mounting profiles
- 1 x Vented top cover
- 1 x Set of heavy duty castors
- 1 x Set of cabinet feet
- Standard colour graphite grey

## FI SERVER ACCESSORIES



Fi four way roof mount fan tray



Fi cable tray

Fi data specifications

Product code	U height	Width mm	Height mm	Depth mm	Weight	Cost
FI CAB2769-SVR	27U	600	1360	900	105	-
FI CAB2789-SVR	27U	800	1360	900	110	-
FI CAB27610-SVR	27U	600	1360	1000	110	-
FI CAB27810-SVR	27U	800	1360	1000	115	-
FI CAB4269-SVR	42U	600	2070	900	165	-
FI CAB4289-SVR	42U	800	2070	900	170	-
FI CAB42610-SVR	42U	600	2070	1000	170	-
FI CAB42810-SVR	42U	800	2070	1000	175	-
FI CAB4569-SVR	45U	600	2205	900	170	-
FI CAB4589-SVR	45U	800	2205	900	175	-
FI CAB45610-SVR	45U	600	2205	1000	175	-
FI CAB45810-SVR	45U	800	2205	1000	180	-

Plinth specifications

Product code	Description	Cost
FI PLINTH69-STABARM	600 X 900 plinth with opening stabilising arm	-
FI PLINTH89-STABARM	800 X 900 plinth with opening stabilising arm	-
FI PLINTH610-STABARM	600 X 1000 plinth with opening stabilising arm	-
FI PLINTH810-STABARM	800 x 1000 plinth with opening stabilising arm	-
FI PLINTH69-PLATE	600 X 900 plinth with fixed stabilising plate	-
FI PLINTH89-PLATE	800 x 900 plinth with fixed stabilising plate	-
FI PLINTH610-PLATE	600 x 1000 plinth with fixed stabilising plate	-
FI PLINTH810-PLATE	800 x 1000 plinth with fixed stabilising plate	-



Plinth with stabilising arms

Shelf specifications

Product code	Description	Cost
FI-SHE570	570mm fixed vented shelf	-
FI-SHE570HD 50-SVR	570mm heavy duty(50kg) vented shelf	-
FI-SHE570TEL	570mm telescopic shelf	-
FI-SHE720	720mm fixed vented shelf	-
FI-SHE720/HD 50-SVR	720mm heavy duty(50kg) vented shelf	-
FI-SHE720/HD 100-SVR	720mm heavy duty(100kg) vented shelf	-
FI-SHE720TEL	720mm telescopic shelf	-
FI-SHEKEYROT	Rotating keyboard shelf	-



Plinth with fixed stabilising plate

Cable tray specifications

Product code	U Height	Description	Cost
FI-CT27100	27U	100mm cable tray	-
FI-CT27150	27U	150mm cable tray	-
FI-CT27300	27U	300mm cable tray	-
FI-CT42100	42U	100mm cable tray	-
FI-CT42150	42U	150mm cable tray	-
FI-CT42300	42U	300mm cable tray	-
FI-CT45100	45U	100mm cable tray	-
FI-CT45150	45U	150mm cable tray	-
FI-CT45300	45U	300mm cable tray	-



Fi fixed Vented shelf



Fi vented telescopic shelf

Fan specifications

Product code	Description	Cost
FI-FAN2RM	2 way roof mounted fan tray	-
FI-FAN4RM	4 way roof mounted fan tray	-
FI-FAN4RM/HS	4 way high speed roof mounted	-
FI-FAN6RM	6 way roof mounted fan tray	-

**Heavy duty castors, adjustable feet and baying kits**

Product code	Description	Cost
BAYKIT	cabinet baying kit	-

\* See Accessories spec sheet for more details



Castors & feet

**Fi server range of cabinet doors**

U size	Vented glass doors		Vented rear door	
	600mm	800mm	600mm	800mm
27U	-	-	-	-
42U	-	-	-	-
45U	-	-	-	-

U size	Side panels		Split side	
	900mm	1000mm	900mm	1000mm
27U	-	-	-	-
42U	-	-	-	-
45U	-	-	-	-

\* We can also supply perspex and wardrobe style doors, for the free standing cabinets, please contact our sales office for details.