

PI SERVER SERIES SERVER CABINET RANGE

Available in 27U, 39U, 42U, 45U, 47U


- 600mm or 800mm wide
- 900mm or 1000mm deep

Pi server cabinet range To complement our original Pi data cabinet range, the Pi server cabinet range has been designed to meet the changing requirements of the server cabinet market. This range has been designed to complement a Pi data cabinet installation as well as meet the required thermal management and load capacity specified by today's major server manufacturers.



PI SERVER CABINET CONSIST OF

- 1 x Enclosed glass front door with vented surround & slam-latch lock with
- 1 x Lockable rear swing door with mesh insert
- 2 x Lockable side panels with vents top & bottom
- 4 x Universal style (heavy duty) mounting profiles
- 2 x Mid style (heavy duty) mounting profiles
- 1 x Vented top cover
- 1 x Earth bonding kit



Fixed vented shelf

PI SERVER ACCESSORIES



Plinth with fixed stabilising plate



Plinth with stabilising arms



Telescopic shelf

*** Please note:**

These cabinets are also available in flat pack form at an additional cost of £35.00


The Pi range of cabinets are available in graphite grey and black at an additional cost of £25.00

Pi Server specifications

Product code	U Height	Width mm	Height mm	Depth mm	Weight	Cost
CAB2769-SVR	27	600	1360	900	105	-
CAB2789-SVR	27	800	1360	900	110	-
CAB27610-SVR	27	600	1360	1000	110	-
CAB27810-SVR	27	800	1360	1000	115	-
CAB3969-SVR	39	600	1930	900	135	-
CAB3989-SVR	39	800	1930	900	140	-
CAB39610-SVR	39	600	1930	1000	140	-
CAB39810-SVR	39	800	1930	1000	145	-
CAB4269-SVR	42	600	2070	900	165	-
CAB4289-SVR	42	800	2070	900	170	-
CAB42610-SVR	42	600	2070	1000	170	-
CAB42810-SVR	42	800	2070	1000	175	-
CAB4569-SVR	45	600	2205	900	170	-
CAB4589-SVR	45	800	2205	900	175	-
CAB45610-SVR	45	600	2205	1000	175	-
CAB45810-SVR	45	800	2205	1000	180	-

Shelf specifications

Product code	Description	Cost
SHE450-SVR	450mm Fixed Vented Shelf	-
SHE570-SVR	570mm Fixed Vented Shelf	-
SHE720-SVR	720mm Fixed Vented Shelf	-
SHE720TEL	720mm Telescopic Shelf	-
SHE450HD-50-SVR	450mm Heavy Duty (50kg) Vented Shelf	-
SHE570HD-50-SVR	570mm Heavy Duty (50kg) Vented Shelf	-
SHE720HD-50-SVR	720mm Heavy Duty (50kg) Vented shelf	-
SHE1UADJ	1u adjustable depth shelf	-
SHEKEY	1U Rotating keyboard Shelf	-



Fixed vented shelf



Telescopic shelf

Plinth specifications

Product code	Description	Cost
PLINTH69-STABARM	600 X 900 Plinth With Opening stabilising Arm	-
PLINTH89-STABARM	800 X 900 Plinth With Opening Stabilising Arm	-
PLINTH610-STABARM	600 X 1000 Plinth With Opening Stabilising Arm	-
PLINTH810-STABARM	800 x 1000 Plinth With Opening Stabilising Arm	-
PLINTH69-PLATE	600 X 900 Plinth With Fixed Stabilising Plate	-
PLINTH89-PLATE	800 x 900 Plinth With Fixed Stabilising Plate	-
PLINTH610-PLATE	600 x 1000 Plinth With Fixed Stabilising Plate	-
PLINTH810-PLATE	800 x 1000 Plinth With Fixed Stabilising Plate	-



Plinth with fixed stabilising plate



Plinth with stabilising arms

* See accessories spec sheet

Heavy duty castors, adjustable feet and baying kits

Product code	Description	Cost
FEET	Adjustable Cabinet Feet	-
CASTOR-HD	Heavy duty castors	-
BAYKIT	Cabinet Baying Kit	-

* See Accessories spec sheet for more details



Castors & feet

Pi server range of cabinet doors

U size	Vented glass door		Mesh rear back		Steel doors / Side panels	
	600mm	800mm	600mm	800mm	900mm	1000mm
27U	-	-	-	-	-	-
39U	-	-	-	-	-	-
42U	-	-	-	-	-	-
45U	-	-	-	-	-	-

* We can also supply perspex and wardrobe style doors, for the free standing cabinets, please contact our sales office for details.



Solid door



Glass door

Code: prism-piserv_blank