

# PI range - accessories

## Fixed



Up to  
35 Kg

Suitable for:

Data ●  
Server ●  
Wall ●  
HDPF ●

- Fixed between front & rear mounting profiles
- Vented
- Depths of 450mm, 570mm & 720mm
- Up to 35kg load capacity

## Fixed shelf

Product code	Width (mm)	Depth (mm)
SHE600	465	600
SHE800	465	800
SHE450-SVR	485	450
SHE570-SVR	485	570
SHE720-SVR	485	720
SHE1000-SVR	485	1000

## Fixed heavy duty



Up to  
100 Kg

Suitable for:

Data ●  
Server ●  
Wall ●  
HDPF ●

- Fixed between front & rear mounting profiles
- Vented
- Depths of 450mm, 570mm & 720mm
- Up to 100kg load capacity

## Fixed heavy duty

Product code	Width (mm)	Depth (mm)
SHE450-HD100	465	450
SHE570-HD100	465	570
SHE450-SVR-HD100	485	450
SHE570-SVR-HD100	485	570
SHE720-SVR-HD100	485	720

## Telescopic



Up to  
35 Kg

Suitable for:

Data ●  
Server ●  
Wall ●  
HDPF ●

- Fixed between front & rear mounting profiles
- Ideal for providing access to the rear of products
- Depths of 450mm, 570mm & 720mm
- Up to 35kg load capacity

## Telescopic shelf

Product code	Width (mm)	Depth (mm)
SHE450-TEL	420	450
SHE570-TEL	420	570
SHE720-TEL	420	720

## Modem shelf



Suitable for:

Data ●  
Server ●  
Wall ●  
HDPF ●

- Depths available 200mm, 300mm & 400mm
- 1u & 2u options
- Vented
- Ideal for wall mounted enclosures
- Suitable for all Prism enclosures

## Modem shelf

Product code	Width (mm)	Depth (mm)
SHE200/1FM	450	200
SHE300/1FM	450	300
SHE400/2FM	450	400

## Adjustable shelf



Suitable for:

Data ●  
Server ●  
Wall ●  
HDPF ●

- Fixed between front & rear mounting profiles
- Vented
- Fully adjustable to accommodate all profile depths
- Vendor neutral mounting for third party cabinets

## Adjustable shelf

Product code	Width (mm)	Depth (mm)
SHE1UADJ	450	515-970

# PI range - accessories

## Roof mount



### Suitable for:

- Data ●
- Server ●
- Wall ●
- HDPF ●

- Fitted with 2, 4, 6 and 8 way fans
- High speed fans are available for increased heat dispersion
- Low noise option available
- Industry standard 27 decibels

## Roof mount fan tray

Product code	Description
FAN2RM	2 Way standard
FAN4RM	4 Way standard
FAN6RM	6 Way non standard
FAN8RM	8 Way non standard

## Rack mount



### Suitable for:

- Data ●
- Server ●
- Wall ●
- HDPF ●

- 1U height
- 2 - 6 Fans
- High speed fans are available for increased heat dispersion

## Rack mount fan tray

Product code	Description
FAN2RK	2 Way
FAN3RK	3 Way
FAN4RK	4 Way
FAN6RK	6 Way

## Thermostat



- Available to fit all fan units
- Manually adjustable thermostat to control fan operation

## Thermostat switch

Product code	Description
THERMSTAT	Adjustable thermostat

# Pl range - accessories

## Fixed plinth



Suitable for:

- Data ☐
- Server ☒
- Wall ☐
- HDPF ☐

- Four size options
- Modular construction
- Gland plates on sides & rear, for cable entry
- 100mm high

## Fixed plinth

Product code	Width (mm)	Depth (mm)
PLINTH66-100	600	600
PLINTH68-100	600	800
PLINTH86-100	800	600
PLINTH88-100	800	800

## Stabilising plate



Suitable for:

- Data ☐
- Server ☒
- Wall ☐
- HDPF ☐

- Four size options
- Welded construction
- Gland plates on sides & rear, for cable entry
- 100mm high
- Bolt on stabilising plate

## Stabilising plate

Product code	Width (mm)	Depth (mm)
PLINTH610-STABPLATE	600	1000
PLINTH810-STABPLATE	800	1000
PLINTH612-STABPLATE	600	1200
PLINTH812-STABPLATE	800	1200

## Stabilising arms



Suitable for:

- Data ☐
- Server ☐
- Wall ☐
- HDPF ☐

- Four size options
- Welded construction
- Gland plate on rear
- Retractable stabilising arms with grab handles

## Stabilising arms

Product code	Width (mm)	Depth (mm)
PLINTH610-STABARM	600	1000
PLINTH810-STABARM	800	1000
PLINTH612-STABARM	600	1200
PLINTH812-STABARM	800	1200

## Replacement tile plinth



Suitable for:

- Data ☐
- Server ☐
- Wall ☐
- HDPF ☐

- Suits all floor tile systems
- Designed for speed of installation
- Available with different aperture cut outs
- Different heights available

## Replacement tile plinth

Product code	Description
REPTILE66	Call for details

## HDPF plinth



Suitable for:

- Data ☐
- Server ☐
- Wall ☐
- HDPF ☒

- Plinth for underfloor installations
- Adjustable levelling feet
- Different heights available

## HDPF plinth

Product code	Description
HDPF-STOOL	Call for details

# PI range - accessories

## Cable tray



### Suitable for:

- Data ●
- Server ●
- Wall ●
- HDPF ●

- 50 & 300mm widths
- Full range of heights available
- Powder coated finish

## Cable trays

### Product code

CT12150	CT12300
CT18150	CT18300
CT27150	CT27300
CT39150	CT39300
CT42150	CT42300
CT45150	CT45300

## Brush strip panels



### Suitable for:

- Data ●
- Server ●
- Wall ●
- HDPF ●

- Mild steel fitted with a brush strip
- Ideal for 600mm wide cabinets as additional cable management

## Brush Strip Panels

### Product code

### Size

BRUSH1U	1U
BRUSH2U	2U

## Cable management bars



### Suitable for:

- Data ●
- Server ●
- Wall ●
- HDPF ●

- Four and five rings options
- Radiused edges
- Black finish
- Bespoke options available on request

## Cable management bars

### Product code

### Size

CMB1U4	1U
CMB1U5	1U
CMB2U4	2U
CMB2U5	2U

## Blank panels



### Suitable for:

- Data ●
- Server ●
- Wall ●
- HDPF ●

- Mild steel, rolled edge
- Larger sizes available

## Blank panels

### Product code

### Size

BLPL1U	1U
BLPL2U	2U
BLPL3U	3U
BLPL4U	4U

## Jumper rings



### Suitable for:

- Data ●
- Server ●
- Wall ●
- HDPF ●

- Designed to fit cable management on 800 wide cabinets
- Designed to fit 19" mounting posts

## Jumper rings

Product code	Height (mm)	Depth (mm)
JUM1U	45	65
JUM7070	70	70

## PI range - accessories

### Pi baying kit



Suitable for:	
Data	●
Server	●
Wall	●
HDPF	●

- Designed to secure multiple Pi cabinets together

### Pi baying kit

Product code	Description
BAYKIT01	Baying Kit

### Transport castors



Suitable for:	
Data	●
Server	●
Wall	●
HDPF	●

- Supplied on all free standing enclosures
- (Not recommended for installed enclosures above 18U)

### Transport castors

Product code	Description
CASTOR	Set Of Four

### Heavy duty castors



Suitable for:	
Data	●
Server	●
Wall	●
HDPF	●

- Heavy duty castors  
Supplied in sets of 4
- 65mm in height
- Kit consists of 2 locking and 2 non locking

### Heavy duty castors

Product code	Description
CASTOR-HD	Set Of Four

### Earth Bonding Kit



Suitable for:	
Data	●
Server	●
Wall	●
HDPF	●

- Suitable for bonding doors to main structure
- Supplied with all Pi enclosures

### Earth bonding kit

Product code	Description
EBK	EBK For Pi Cabinets
EBK-WB	EBK For Wall Cabinets

### Cage Nuts



Suitable for:	
Data	●
Server	●
Wall	●
HDPF	●

- Industry standard fixing
- Supplied with black plastic cup washer and screw

### Cage nuts

Product code	Description
CAGENUT50	Bag of 50
CAGENUT100	Bag of 100

# PI range - accessories

## Levelling feet



Suitable for:

- Data ●
- Server ●
- Wall ●
- HDPF ●

- Two size options
- Ideal for uneven floor surfaces

## Levelling feet

Product code	Description
FEET-SET	Levelling Feet

## Earthbar



Suitable for:

- Data ●
- Server ●
- Wall ●
- HDPF ●

- Retro-fittable
- Can be supplied in various lengths
- Horizontal & vertical mounting options

## Earthbar

Product code	Size
E-BAR-12	12U
E-BAR-18	18U
E-BAR-27	27U
E-BAR-39	39U
E-BAR-42	42U
E-BAR-45	45U

## Document wallet



Suitable for:

- Data ●
- Server ●
- Wall ●
- HDPF ●

- Supplied with self adhesive mounting strips
- Ideal for housing IT documents within enclosure

## Document wallet

Product code	Description
DOCWAL	A4 Plastic Wallet

## Monoserts



Suitable for:

- Data ●
- Server ●
- Wall ●
- HDPF ●

- Rapid fixing
- Designed to prevent on-site injury
- Supplied with black plastic cup washer and screw

## Monoserts

Product code	Description
MONO50	Bag of 50
MONO100	Bag of 100

## Tubular management bars



Suitable for:

- Data ●
- Server ●
- Wall ●
- HDPF ●

- Rapid fixing
- Designed to prevent on-site injury
- Supplied with black plastic cup washer and screw

## Tubular management bars

Product code	Description
TUB-MAN	Individual

## Slam latch lock



- Standard PI data locking mechanism

### Suitable for:

- Data ●
- Server ●
- Wall ●
- HDPF ●

## Slam latch lock

### Description

Slam latch lock

[Call for details](#)

## Cam lock



- Cam lock for PI side panels and rear doors

### Suitable for:

- Data ●
- Server ●
- Wall ●
- HDPF ●

## Cam lock

### Description

Cam lock

[Call for details](#)

## Combination lock



- Master key override
- Used with 3 point locking solution
- Retro-fittable

### Suitable for:

- Data ●
- Server ●
- Wall ●
- HDPF ●

## Combination lock

### Description

Combination lock

[Call for details](#)

## Lever latch lock



- Lever latch locking mechanism
- Unique barrel locks
- Used with 3 point locking solution

### Suitable for:

- Data ●
- Server ●
- Wall ●
- HDPF ●

## Lever latch lock

### Description

Lever latch lock

[Call for details](#)

## Unique locks



- Unique barrel and cam locks for additional single or multiple site security

### Suitable for:

- Data ●
- Server ●
- Wall ●
- HDPF ●

## Unique locks

### Description

Barrel lock bag of 2

[Call for details](#)

Cam lock bag of 8

[Call for details](#)